



Accommodation Sheet

General informations

Name of accommodation facility	Hotel Spinelli
Typology	Hotel/inn
Address	Via Trento 29
City	Viareggio
Contacts	Tel +39 0584 389838 Email info@hotelspinelli.it
Website	www.hotelspinelli.it/en
Accessible website compliant with WCAG 2.1	NO
Online reservations	YES
Short description	The Spinelli Hotel is located in the historic Darsena district of Viareggio, a stone's throw from the main points of interest in the city: the pier, the "promenade", the sports facilities and the pine forest.

TESTED BY: [Handy Superabile Social Promotion Association](#) in 2024

Please note The following information refers to the verification date shown at the bottom of each sheet. The Association is not responsible for any significant changes made to the property after the visit.





Summary

Accommodation Sheet.....	1
General informations.....	1
Arrival at the facility.....	3
How to reach the property.....	3
Pathway from the private/public car park to the entrance	4
Structure entrance	5
Hall - Reception	7
Rooms/apartments	8
Rooms/apartments adapted for guests with reduced mobility.....	8
Toilet in the room for guests with reduced mobility	9
Bar/restaurant	11
Internal pathways and common services	13
Internal pathways.....	13
Common toilets.....	14
Medical practices/health facilities.....	15





Arrival at the facility

How to reach the property

By car	<p>from the north: From the north and the A1 motorway, take the A11 Firenze Mare motorway in the direction of Lucca-Pisa. After Lucca, follow the signs for Viareggio, continue for another 18 km and exit at Viareggio.</p> <p>From Genoa and the A12 motorway, take the Viareggio exit.</p> <p>From the south and the A1 Rome-Florence motorway, take the A11 Firenze Mare motorway in the direction of Lucca-Pisa nord. After Lucca, follow the signs for Viareggio and continue for another 18 km.</p> <p>From the motorway exit, follow the signs for Marco Polo and then for the sea.</p>
By plane	G. Galilei Pisa Airport
Assistance service for people with disabilities	YES
Boarding/disembarking of passengers with reduced mobility	with courtesy chair and ambulift/finger. Complete assistance provided on departure and arrival.
Tactile itineraries for the blind and visually impaired	YES, there are LOGES routes complete with tactile maps to facilitate movement.
There is an accessible toilet room with support handles	YES
Transfer shuttle available	YES. Ecological automated shuttle "PEOPLE MOVER" to Pisa central station.
On the train	





Nearest station	name Viareggio
Assistance service for people with disabilities	YES
Any notes	Information on disabled accessibility: Viareggio station is equipped with a forklift and dedicated assistance service for disabled guests. To request the assistance service, passengers with reduced mobility can contact the railway company with which they have chosen to travel or send an e-mail (at least 24 hours in advance) to one of the 14 Blue Halls or go directly to one of the 14 Halls Blu or call the single national number 199 30 30 60 connected to the 14 Sale Blu and active every day, including holidays, from 6.45am to 9.30pm

Pathway from the private/public car park to the entrance

Presence of private parking	NO
Public parking nearby	YES
Type of public car park flooring	asphalt
Presence of parking space reserved for people with disabilities in the public car park	YES .
Describe the pathway from the car park to the entrance and any critical issues	Free of obstacles
Distance from the car park to the entrance	50 meters
Any notes	Those who have a disabled permit can use the public asphalt car park free of charge, along via Trento, or, about 50 meters away, in via Petrarca, in the parking space reserved for disabled people, highlighted by horizontal/vertical signs.





Structure entrance

There is an accessible entrance	YES main entrance
Method of access to the structure	<input checked="" type="checkbox"/> reachable via a small 4 cm step at the height of the gate and another 3cm step at the entrance door. Continuation on level ground.
Type of entrance door	with 2 doors



Project promoted by




Regione Toscana

Useful width of door/entrance passage	greater than 90 cm
There are indicators and tactile maps	NO
	
	

Project carried out with the contribution of



**Presidenza del
Consiglio dei Ministri**
Ministro per la disabilità



Hall - Reception

How to reach it from the entrance	flat
Reception desk height	107cm
Presence of multilingual staff	YES
Type of information material	<input type="checkbox"/> YES with tactile maps/signals <input checked="" type="checkbox"/> YES with brochure
Initial assistance is provided for visitors with disabilities	<input checked="" type="checkbox"/> YES with orientation tour of the facility <input checked="" type="checkbox"/> YES with room accompaniment <input type="checkbox"/> YES with portorage service
The following aids are provided for visitors with disabilities	<input checked="" type="checkbox"/> manual wheelchair at a nursing home located in front of the facility <input checked="" type="checkbox"/> crutches <input type="checkbox"/> comfortable shower chair
The staff followed a training course on welcoming people with various disabilities	NO
Any notes	The facility welcomes guide dogs for the blind and has a doctor for emergencies.





Rooms/apartments

Rooms/apartments adapted for guests with reduced mobility

Number and type of rooms/apartments equipped/usable by people with reduced mobility	<input checked="" type="checkbox"/> double rooms 1 no. ground floor
Access to the room	<input checked="" type="checkbox"/> flat
Type of entrance door	with lever handle
Useful width of entrance door	80cm
Type and height of bed	double bed 46 cm high
Free spaces at the sides of the bed	to the left 81 cm To the right 100cm front 123 cm
Wardrobe type	ante
Free space under the desk	70cm
They are available in the room	<input checked="" type="checkbox"/> safe <input checked="" type="checkbox"/> mini-bar <input type="checkbox"/> water kettle







	<input type="checkbox"/> iron

Toilet in the room for guests with reduced mobility


Access to the venue	flat
Useful width of entrance door	80cm
Door type	with door that opens outwards
Handle type	lever
WC height	47 cm
Toilet seat with open front tooth	NO





Support handles	on both sides
Flexible shower next to the toilet	YES
Free space on the sides of the toilet	to the left greater than 90 cm To the right 33cm Front greater than 90 cm
Electric bell/telephone next to the toilet	YES
Washbasin with space underneath for a wheelchair	76 cm
Height from the ground to the lower edge of the mirror	not sufficient for use by people in a wheelchair
	
Shower accessible to guests with reduced mobility available	YES with a 2cm high step
Shower type	with box, dimensions 80 x 80cm
Shower chair	plastic with armrests
Support handle	YES
Presence of shower head or latch	latch with lowest point height 120 cm
Electric bell/telephone on the shower side	YES









Bar/restaurant


Type of venue	Bar/restaurant
Access to the venue	<input checked="" type="checkbox"/> flat
Useful width of door/entrance passage	greater than 90 cm
Bar counter height	greater than 100 cm
Buffet counter height	84 cm high
Type of tables	with central support
Space under the floor tables	71 cm
Availability of high chairs for newborns	YES on request
Multilingual menu	YES
Menu with apps	YES
Braille menu	NO
Table service for people with disabilities	YES
Availability of food for celiacs	<input type="checkbox"/> bread <input type="checkbox"/> pasta <input type="checkbox"/> cookies <input type="checkbox"/> ice creams <input type="checkbox"/> pre-packaged foods
There are coffee and milk dispensers	YES





<p>It is possible to always reserve the same table for a customer with reduced mobility</p>	<p>YES</p>
<p>There are toilets that can be used by a guest with reduced mobility (see "toilets accessible in internal routes and common services)</p>	<p>NO</p>
<p>There is an area reserved for lunch for younger guests</p>	<p>YES</p>
<p>An equipped baby bottle service is available</p>	<p>YES on request</p>
	
	





Internal pathways and common services

Internal pathways

Approximate distances from the room/apartment/bungalow visited and intended for customers with disabilities to the various main common areas	Entrance (Hall) 6 m Main restaurant m10
Indicate whether the paths connecting to the common areas are flat or with ramps or steps, in addition to those already described	Flat routes. There is an elevator to reach the standard rooms on the upper floors. The door has a clear cabin clearance of 70 cm and sliding doors.
From the room visited to the common areas there are maps and tactile signs for the blind	NO





Common toilets

Location of the room	near the hall
Method of access to the venue	flat
Useful width of entrance door	80cm
WC height	Not detected
Toilet seat with open front tooth	NO
Support handles	to the left of the toilet
Flexible shower next to the toilet	NO
Free space on the sides of the toilet	to the left greater than 90 cm To the right 26cm Front greater than 90 cm
Electric bell/telephone next to the toilet	YES
Washbasin with space underneath for a wheelchair	YES
Baby changing table	NO





Medical practices/health facilities

Hospitals near the facility	<p>Versilia Hospital Via SS 1 335 Lido di Camaiore (LU) Tel +39 0584 6051 Distance 5.7 km</p> <p>Civil Hospital, North West Tuscany Local Health Authority G. Tabarracci territorial unit Via A. Fratti 530 Viareggio (LU) Tel +39 0584 6059320/6059219</p>
Any dialysis facilities	<p>Cisanello Hospital Pisa. Distance 23 km</p> <p>In the period June-September holiday dialysis service with availability of n. 6 beds; the treatments will be divided into three days a week (Monday, Wednesday and Friday) in the evening from 6.00 pm to 12.00 am</p> <p>Telephone +39 050 997250/997253/997256 call from 8.00 to 14.00</p> <p>E-mail nefrotrap.pisa@ao-pisa.toscana.it</p>
Other healthcare facilities	<p>Green Cross Viareggio Corso G. Garibaldi 208 Viareggio (LU) Tel +39 0584 30885</p>

TESTED BY: [Handy Superabile Social Promotion Association](#) in 2024

